

New audio-video doorphones portfolio

suitable for bintec elmeg customers

www.alphatechtechnologies.cz

Elmeg compatible, SIP VoIP or analog PBX interface, optionally GSM SIM card inside

SIP based VoIP door entry intercoms / doorphones with a colour camera

The „IP BOLD65“ video doorphone

- one or two call buttons
- colour camera
- full duplex audio with 95,3dBm speaker output
- suitable for indoor or outdoor installations
- surface mounted
- IP65 impregnation rating
- PoE



Item No. 230501 IP BOLD65 T1C



Item No. 230502 IP BOLD65 T2C

The „IP BOLD“ video doorphone

- one, two or four call buttons
- audio or video version with a colour camera
- full duplex audio with 95,3dBm speaker output
- surface mounted
- suitable for indoor or outdoor installations
- PoE



Item No. 230204 IP BOLD T4C

The „IPDP modular“ video doorphone

- up to 56 call buttons
- dialling keypad
- access codelock keypad
- audio or video version with a colour camera
- surface mounted on the wall
- flush mounted into the wall
- modular system



Item No. IPDP04CK-S, surface mounted version

Analog doorphones

suitable for connection to analog line interface of elmeg PBX

The „Slim doorphone SDP“

- 16mm thin
- surface mounted
- 1, 2 or 4 call buttons
- easy programming and installation
- analog PBX line interface



Item No. 211102 SDP02

The „Analog Brave Slim“ doorphone

- surface mounted
- 1 or 2 call buttons
- vandal proof housing available
- [GSM version](#) with a SIM card inside available



Item No. 222401 metal housing

The „A-VarioBell“ analog doorphone

- Surface mounted on the wall
- Flush mounted into the wall
- From 1 to 87 call buttons
- Dialling keypad
- Access codelock keypad
- Modular design
- Optional audio-induction loop for hearing impaired
- Status LEDs indication – ringing, active call, door open
- [GSM version](#) with a SIM card inside available



Item No. A-VBD-S01AK