

Quick setup of [IP BOLD65](#) with [3CX Phone System v14](#)



Item No. 230501



3CX 3CX Phone System


Idioma

Nombre de usuario

Contraseña

Iniciar sesión Su mantenimiento es válido hasta 31/12/2050

Consola de Administración de Central Telefónica 3CX instance1 v14.0.49169.513
 Producto propiedad de




3CX Server Manager ▶ Extensions View Manage Add View Settings Support

System Status Disconnect Call Search Help

Status	Extension	User Status	DND	Queues	Name
Not Registered	100	Available	OFF	IN	
Registered (idle)	101	Available	OFF	OUT	
Registered (idle)	102	Available	OFF	OUT	GXV3x75
Not Registered	103	Available	OFF	OUT	GXV3240
Not Registered	104	Available	OFF	OUT	Softphone PC
Registered (idle)	105	Available	OFF	OUT	VP530 Yealink
Registered (idle)	106	Available	OFF	OUT	GXV3611IR
Registered (idle)	107	Available	OFF	OUT	IP Bell
Registered (idle)	108	Available	OFF	OUT	
Registered (idle)	109	Available	OFF	OUT	IP Bold

System Status
 Ports/Trunks
Extensions View
 System Extension
 3CX Clients
 Services
 IP Blacklist
 Phones
 Extensions
 Administradores
 Comercial
 DEFAULT





3CX Server Manager Edit - 109 IP Bold Manage Add

System Status | Extension Settings | Help

General | Voice Mail | Forwarding Rules | Phone Provisioning | BLF (Busy Lamp Fields) | 3CXPhone | Other | Op

User Information

Configure user information below


Extension	109	?
First Name	IP Bold	?
Last Name		?
Email address		?
Mobile Number		?

Authentication

The authentication ID and Password are used by the phone to authenticate with 3CX Phone System. If the number.

ID	109	?
Password	ext109	?

IP BOLD65 settings:



SIP parameters

SIP mode: SIP server

Display name: IP BOLD65

Account: 109

Auth. Id: 109

Password:

Send register:

Registration server: 192.168.0.249

Port: 5060

Expiration [sec]: 600

Registrate after restart:

SIP server: 192.168.0.249

Port: 5060

Outbound proxy:

Port: 5060


SIP Transport: UDP

Provisional code: 180 Ringing

Enable Symmetric RTP:

Registration successful



Current status	<h2 style="text-align: center;">Video</h2> <p>Image size: 640 × 480 ▾</p> <p>Quality: Optimal ▾</p> <p>Brightness: <input type="text"/></p> <p>Contrast: <input type="text"/></p> <p>Colour: <input type="text"/></p> <p>Hue: <input type="text"/></p> <p>Auto white balance: <input type="text"/></p> <p>Gamma: <input type="text"/></p> <p>Power line frequency: 50 Hz ▾</p> <p>White balance: <input type="text"/></p> <p>Sharpness: <input type="text"/></p> <p>Auto exposure: Software Mode ▾</p> <p>Exposure: <input type="text"/></p> 
Network setting	
Basic settings	
Extended settings	
DoorPhone	
Audio	
Audio codecs	
Video	
Video codecs	
Streaming	
Service	
Video camera	